

## DATA SHEET · DC FAST BUFFERED CLUSTER

# KOMODO 240 · 4-Dispenser HPC Hub

240 kW total · 4 dispensers · 80 kWh Na-ion · 100 A · 3-phase 480 V

KOM240-B80N-4D

## Highlights

- ✓ 4-dispenser hub configuration
- ✓ 240 kW total across 4 dispensers
- ✓ 80 kWh DRACO Na-ion ESS
- ✓ Highway hub entry-tier
- ✓ Single cabinet, simpler install than separate FAL units

## Built on the XEYAR shared DC bus

Battery-buffered EV chargers built on the patented XEYAR shared DC-bus architecture. Grid input and battery discharge are simultaneous and additive — letting a 100 A service drive high-power EV charging without a transformer upgrade. eMÖTEN CMS guarantees 50% per active port (NEC 625.42(A)). Ships VPP-ready; revenue activates at XEYAR NEXUS launch (2026).

*For full family specifications, see the **KOMODO** family spec sheet. Project-specific configuration is confirmed in the engineering quote.*

## Three durable moats with every MÖTEN charger:

- ✓ Free shipping with every MÖTEN charger — delivered to your jobsite worldwide.
- ✓ eMÖTEN CMS included on all MÖTEN hardware — no monthly subscription.
- ✓ Patented XEYAR shared DC-bus architecture — not available from any other manufacturer.

## Certified · Compliant · Worldwide

UL · UL 9540 3rd Ed. · UL 1741 · ETL · cUL · CSA · FCC · ENERGY STAR · OCPP 2.0.1 · ISO 15118 · NEC 625.42(A) · NFPA 855 · IBC/IFC

## Quote this configuration: KOM240-B80N-4D

Request a Quote: [evfc.com/contact/?topic=bb-quote](https://evfc.com/contact/?topic=bb-quote) · Sales:  
[evfc.com/contact/?topic=bb-sales](https://evfc.com/contact/?topic=bb-sales)

Request a Quote →